

	Hits	Search Text	DBs
1	0	((375/262 or 375/296 or 455/213 or 455/339 or 327/552 or 342/101).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	22	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2)) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	117	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	22	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	26	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5)) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")) not (((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	24	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5)) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125") not (((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	5	("5451899" "5612976" "5617451" "5894499" "6038268").PN.	USPAT
10	7	("5194836" "5231327" "5872493" "5905418" "5910756" "5942958" "6081171").PN.	USPAT
11	2209	((filter\$5 or slicer\$4) with (choos\$5 or choic\$5 or select\$5) with (series)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	39	((375/262 or 375/296 or 455/213 or 455/339 or 327/552 or 342/101).ccls.) and ((filter\$5 or slicer\$4) with (choos\$5 or choic\$5 or select\$5) with (series)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	"6356746".pn. and (configur\$5 near2 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	1	"6356746".pn. and (configur\$5 near6 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	((two or multipl\$7 or three) near2 attenuation\$7) with (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7)) and (adjust\$7 near2 (filter\$7 or slic\$7)) and (transmi\$7 near2 band\$7) and modula\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	9	((two or multipl\$7 or three) near7 attenuation\$7) with (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7)) and (adjust\$7 near2 (filter\$7 or slic\$7)) and (transmi\$7 near2 band\$7) and modula\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	29	((two or multipl\$7 or three) near7 attenuation\$7) with (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7)) and (adjust\$7 near2 (filter\$7 or slic\$7)) and (transmi\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2109	((attenuation\$7) near2 (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7 or adjust\$7 or chang\$7)) with (("next" or "adjacent") near2 nois\$7 or data or band\$7 or transmi\$7 or signal\$7) and (transmi\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	2	((attenuation\$7) near2 (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7 or adjust\$7 or chang\$7)) near2 ("next" or "adjacent") near2 (nois\$7 or data or band\$7 or transmi\$7 or signal\$7)) and (transmi\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	((375/262, 375/261, 375/260, 375/259, 375/296, 375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	2	"6212367".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	2434	((select\$7 or choos\$7 or choic\$7 or pick\$7) near2 attenuation\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	63	((select\$7 or choos\$7 or choic\$7 or pick\$7) near2 attenuation\$7 near2 first\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	0	((375/262, 375/261, 375/260, 375/259, 375/296, 375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).cccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	67	threshold\$7 near2 (attenuat\$7 or coefficient\$7 or tap\$3) near2 (adjust\$7 or adapt\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	43	threshold\$7 near2 (attenuat\$7 or coefficient\$7 or tap\$3) near2 (adjust\$7 or adapt\$7) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	2	threshold\$7 near2 (attenuat\$7 or coefficient\$7 or tap\$3) near2 (adjust\$7 or adapt\$7) near2 (select\$7 or choic\$7 or pick\$7 or choos\$7) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	92	(threshold\$7 with (attenuat\$7 or coefficient\$7 or tap\$3) with (adjust\$7 or adapt\$7) with (select\$7 or choic\$7 or pick\$7 or choos\$7)) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	7	(threshold\$7 with (attenuat\$7 or coefficient\$7 or tap\$3) with (adjust\$7 or adapt\$7) with (select\$7 or choic\$7 or pick\$7 or choos\$7)) and (transmi\$7 near2 band\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	70	(set\$3 or adjust\$7 or adapt\$7) near2 (coefficient\$7 or tap\$3 or weight\$7 or filter\$7) near2 (adjacent\$7 or next\$7 or "near") near2 (signal\$7 or frequenc\$7 or band\$7 or rang\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	0	adjust\$7 near2 filter\$7 near2 based\$7 near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	adjust\$7 near2 filter\$7 near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	adjust\$7 near2 (filter\$7 or tap\$3 or coefficient\$7 or weight\$7) near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	11	(adjust\$7 or chang\$7 or modif\$7 or updat\$7 or choos\$7 or choic\$7 or pick\$7 or select\$7) near2 (filter\$7 or tap\$3 or coefficient\$7 or weight\$7) near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	1	((filter\$7 or slicer\$7) near2 (coefficient\$7 or tap\$7 or weight\$7) near2 ((more or great\$7) and (less\$7)) near2 threshold\$7) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	((filter\$7 or slicer\$7) near2 (coefficient\$7 or tap\$7 or weight\$7) near2 ((more or great\$7) and (less\$7)) near2 (threshold\$7 or value\$3)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	166	((filter\$7 or slicer\$7) with (coefficient\$7 or tap\$7 or weight\$7) with ((more or great\$7) and (less\$7)) with (threshold\$7 or value\$3)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	2	"5752171".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	28	(US-4211894-\$ or US-4258435-\$ or US-4349707-\$ or US-5287557-\$ or US-5367385-\$ or US-5418817-\$ or US-5455819-\$ or US-5461426-\$ or US-5515401-\$ or US-5524029-\$ or US-5526383-\$ or US-5557319-\$ or US-5600278-\$ or US-5630218-\$ or US-5793801-\$ or US-5894499-\$ or US-6020962-\$ or US-6178162-\$ or US-6262637-\$ or US-6275103-\$ or US-6282231-\$ or US-6301409-\$ or US-6307879-\$ or US-6356746-\$ or US-6426983-\$ or US-6470173-\$).did. or (US-6510224-\$ or US-5752171-\$).did.	USPAT
40	18	S39 and modula\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	5672	(modula\$7 near2 (filter\$7 or slic\$7)) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	0	((375/262, 375/261, 375/260, 375/259, 375/296,375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	0	((375/262, 375/261, 375/260, 375/259, 375/296,375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	349	mochizuki-takashi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	1	takashi-mochizuki.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	350	S45 or S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	3	S47 and transmi\$15 and filter\$7 and control\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB